



THE ONE-STOP-SHOP
 FOR HAULIERS



TRANSPORT & HAULAGE
PRODUCT GUIDE

E: SALES@PGS-SUPPLIES21.CO.UK
W: PGS-SUPPLIES21.CO.UK
T: 0114 276 5566





About Us



PGS Supplies Specialises in the manufacture & supply of bespoke made to measure covers for industries including Transport & Haulage, Lifting & Industrial, Home & leisure and Market Trade. Whilst supplying a range of tarpaulins, netting & custom sheeting, we have extended our range to include a variety of products to suit our customers including Load securing gear, Lifting Products, Workwear, Janitorial supplies, Fastenings, Trader supplies & much more.

Since establishment, we've worked with a wide range of fabrics to suit all applications and the needs of our customers. Our product range is versatile, unique and widely-recognised throughout the haulage and transport industry. We take great pride in our ability to manufacture products from the finest materials available and exceed the expectations of customers time and time again. We offer friendly advice and support wherever needed and encourage any potential clients to get in touch with our team today.

PGS Supplies 21 Ltd
Prospect Works
Worthing Rd
Sheffield S9 3JB

Telephone: 0114 276 5566
Email: sales@pgs-supplies21.co.uk
Web: www.pgs-supplies21.co.uk



PAGE 7

Transport & Haulage Covers



Product Code	Page
Material Applications	8
Haulage Cover Solutions	10
Tarpaulin Sheet Repairs	11
Tarpaulin & Netting	12
Fastening Solutions	13

PAGE 14

Lifting & Load Securing Gear



Product Code	Page
Ratchet Straps	15, 18
Webbing & Fittings	16
Cargo Protection	18
Chains & Load binders	20
Chainsling Assemblies	22
Polyester Lifting	24

PAGE 27

Trailer & Site Equipment



Product Code	Page
Wide Load Markers	28
Site Equipment	29
Wheel Accessories	30
Levelling & Chocks	31
Safety Clothing & PPE	31
LED Lights & Reflectors	32

Lorry Sheets



Side Curtains



Cargo Box Covers



Tipper Nets



Skip Netting



Sheet Repairs




Lifting Gear



Ratchet Straps



Load Binders





Transport & Haulage covers



Typical Applications

PVC610 Heavy Duty PVC



- Heavy duty PVC material
- Eyelets as standard (every 3ft)
- Waterproof, UV resistant, also available in flame retardant
- Stencilling available on material

Heavy duty PVC, approx 600gsm, is suitable for trailer covers, cargo box covers, sheeting, curtains & much more.



RIPSTOP Ripstop Canvas 12oz



- Long lasting Ripstop canvas
- Various colour options including blue, green, red, yellow for trailers
- Large scale sizing available
- Ideal for lorry trailer sheets
- Stencilled lettering available

Ripstop canvas is one the most popular materials for lorry sheets due to it's durability & long lasting fabric structure.



PVCNET PVC Reinforced Mesh



- PVC coated 250gsm netting
- Multiple colours available
- Reinforced hemming options
- Ideal for skip netting, containers, lorry covers for general covering

Close mesh netting reinforced with PVC. The material is a heavier duty option to the PE close mesh and ideal for skip/container nets.



196NET Polyethylene Mesh



- 200gsm close mesh material
- Ideal for covering waste skips
- PVC reinforced edging
- Range of other applications
- Durable polyethylene mesh

Close Mesh polyethylene netting has a 200gsm weight and comes with pvc edges and eyelets.



Extensive Range Of Fabrics Available

Reference	Description	Typical Applications	Weight (g/m ²)	Standard Roll
CD475	475gsm (14oz) Cotton Duck	Lorry Sheets	475	91cm
CD IMP 475	475gsm (14oz) Imported Cotton Duck	Lorry Sheets, H/D Protective Covering	475	91cm
CD509	509gsm (15oz) Cotton Duck	Lorry Sheets, H/D Protective Covering	509	91cm
CD IMP 509	509gsm Imported Cotton Duck	Lorry Sheets, H/D Protective Covering	509	91cm
CD FWR	Fire Retardant Cotton Duck	Welding Screens	475	91cm
RIPSTOP	12oz Ripstop Canvas	Lorry Sheets, Machine Covers	---	36", 72"
PE560	560gsm PVC Coated Polyester	Lorry Covers, Stall Covers, Banners	560	1.5m
PE610	610gsm PVC Coated Polyester	Lorry Covers, Stall Covers, Banners	610	2m
PE900	900gsm PVC Coated Polyester	Side Curtains, Chain Covers, Roll overs	900	3m
PU NYL 140	140gsm (4oz) PU Nylon	Banners, Seat Covers	140	150cm
PU NYL	(7oz) PU Nylon	Banners	---	150cm
POLYPROP	Polypropylene	Ropes	---	---
NYLON/L	Loomstate Nylon	Flexible Sleeves	---	145cm
POL/CL	Polished Clear	Clear Side Sheets	---	1300mm
PE NET	Polyethylene Close Mesh Netting	Skip Nets, Pool Covers	196	12ft, 10ft
N108 NET	PVC Reinforced Netting	Skip Nets	250	2m
PH08	Ultra Heavy Duty Woven Net	Roll Over Nets, Tipper Nets	700	2.2m



The above are some of the more popular fabrics readily available. The list is by no means comprehensive & if you require something different, please let our sales team know!

Email: sales@pgs-supplies.co.uk
 Tel: 0114 276 5566

Cover Features & Options - Lorry Sheets



SHORTENERS Shortening Tabs & Handles

- Load strap webbing
- Well secured to sheet
- Customised positioning
- Shortens cover size



Shortening tabs, also known as secondary eyelets, can be added to your cover to allow it to be used as multiple sizes.



LETTERING Stencilled Print Lettering

- Stencilled letters a-z
- Custom logo options
- Available on pvc, canvas & ripstop canvas covers
- Black or white ink



Stencilled lettering to add branding to your cover. Great for getting noticed on the roads.



SIZING Size Adjusting Sheet Solutions

- Size adjusting sheet
- Shortening tabs available on multiple sheet panels
- Multi colour options
- Sheet ties allow easy movement



Size adjusting sheet by means of shortening tabs allow different sizes of cargo to be secured.



REINFORCEMENT Reinforced Eyes & Materials

- PVC reinforced eyelets
- Strong Ripstop canvas
- Highly durable & ideal for heavy usage



All our heavy duty covers comes with reinforced eyelets to withstand heavy usage. We will also advise a ripstop canvas option for a long lasting sheet.

Sheet Repair Services

REPAIRS

Tarpaulin Repair Service

Need a cover fixing? Let us know! We repair a range of different covers including tarpaulins, lorry sheets & side curtains. The sheet repair service varies depending on the condition but generally includes sheet inspections, drying, hole patching & replacement on ropes/eyelets. We pride ourselves on our quick turnaround with sheet repairs, allowing you to be back on the road with your cover in no time.



INSPECTION

Overall Sheet Inspections

- Load strap webbing
- Well secured to sheet
- Customised positioning
- Shortens cover size

Shortening tabs, also known as secondary eyelets, can be added to your cover to allow it to be used as multiple sizes.

PATCH WORK

Hole Repairing

- Stencilled letters a-z
- Custom logo options
- Available on pvc, canvas & ripstop canvas covers
- Black or white ink

Stencilled lettering to add branding to your cover. Great for getting noticed on the roads.



ROPES

Replacement Of Rope Ties


- Size adjusting sheet
- Shortening tabs available on multiple sheet panels
- Multi colour options
- Sheet ties allow easy movement

Size adjusting sheet by means of shortening tabs allow different sizes of cargo to be secured.

Tarpaulins & Netting

TP PE Tarpaulin Covers

- High quality PE
- Grade 100 (gsm)
- Eyelets every 1m
- Strong waterproof cover
- Multiple size options



Product Code	Size (Metres)
TP3436	3.4 x 3.6
TP3654	3.6 x 5.4
TP456	4.5 x 6
TP547	5.4 x 7
TP79	7 x 9
TP711	7 x 11
TP914	9 x 14
TP1010	10 x 10
TP1220	12 x 20



ZZYTTC Trailer Cover With Bungee

- Waterproof trailer cover
- Heavy weight material
- Eyelets & bungee cord
- 40cm drop on all sizes
- Sizes described are exact

These waterproof trailer covers are made from a durable 600gsm PVC. All covers come with eyelets & bungee cord to allow easy fastening. Sizes include: 4ft x 3ft, 5ft x 3ft, 5ft x 4ft, 6ft x 4ft, 7ft x 4ft and 7ft x 5ft (40cm drop on all).



ZZXTN Cargo Net Elasticated Edge

- Polyethylene mesh net
- Ideal for securing cargo
- 6mm elastic around edge
- 45mm squared grid size
- Colour: Green

These high quality PE cargo nets come with elasticated edges for securing to your trailer. Mesh size is 45mm squared with 6mm elasticated cord around edges.

Product Code	Size
ZZXTNA	1.5m x 2.5m
ZZXTNB	2m x 3m
ZZXTNC	3m x 4m
ZZXTND	2.5m x 3m
ZZXTNE	3m x 3m
ZZXTNF	4m x 4m
ZZXTNG	8m x 4m



Tarpaulin Fastening

CH Carbine Hooks

- Quick & easy fastening
- Ideal for connecting light chain, covers, ropes etc
- Plated or stainless option
- Not for lifting use



Size (mm)	Zinc Plated	Stainless Steel
4	CH04	SSC04
5	CH05	SSC05
6	CH0	SSC06
7	CH07	SSC07
8	CH08	SSC08
9	CH09	-
10	CH10	SSC10
11	CH11	SSC11
12	CH12	-
13	CH13	-
14	CH14	-
15	CH15	-

BUNGEE Shock Cord Assemblies

We have a range of shock cord and assemblies available including standard cord, shock cords with hooks, shock ball loops and much more. A simple but effective way to fasten your cover by lashing over the sheet or through the eyelets.

BUNGEE Shook Cord




BUNGEE Ball Loops




Shock ball loops are a quick way to secure your tarpaulin. Simply pull the loop through the eyelet, which will act as a stopper and allow you to secure with the bungee cord.

We stock a range of shock cord bungee assemblies in various sizes and lengths. Individual hooks are also available for creating a custom length assembly.






Lifting & Lashing Gear



Cargo Straps



Printed text available on webbing

RATCHET LASHING Ratchet Lashing Cargo Straps

- 100% polyester webbing
- Ideal for load securing
- Wide size option range
- Can also be made to size

The Ratchet strap is ideal for securing cargo on trucks & trailers. We stock the complete range including various loading capacities and Lengths, as listed below. All conform to EN12195-2, DIN60060, AS/NZS4380..

Width (mm)	Capacity (kgs)	Length (mtr)	Product Code
25	800	5	RL2508T5
25	1500	5	RL2515T5
25	1500	8	RL2515T8
35	3000	6	RL353T6
50	5000	4	RL505T4
50	5000	6	RL505T6
50	5000	8	RL505T8
50	5000	10	RL505T10
50	5000	12	RL505T12
50	5000	15	RL505T15
50	5000	20	RL505T20
50	5000	25	RL505T25
75	10000	8	RL7510T8
75	10000	10	RL7510T10
75	10000	12	RL7510T12
75	10000	15	RL7510T15

ERGO Ergo Ratchets

- Ergo pull down handle
- 5000kgs capacity
- Conforms to EN12195-2
DIN60060 AS/NZS4380.

Reverse Action Handle



ZZNXR Auto Retracting Straps

- Tangle free & efficient
- Complete with 2 S hooks
- Various sizes available
- Made to EN12195-2



Product Code	Size	Lashing Capacity
ZZNXR25	25mm x 3mtr	BS 600 daN
ZZNXR50	50mm x 3mtr	BS 1500 daN

Custom Load Straps

RATFITA Claw Hooks 50mm

- Versatile lashing hook
- Smooth plated finish
- 5ton & 2ton load options
- Fits 50mm webbing



The claw hook is one of the more popular end fittings for ratchet straps.

RATFITX Rave Hooks 50mm

- Closed rave lashing hook
- Ideal for fitting to the vehicle chassis on trucks
- 5ton breaking strain



Often used on side curtain lorry straps to allow a secure fit to the chassis.

RATFITB Chassis Hooks 50mm

- Open chassis hook
- Ideal for fitting to the vehicle chassis on trucks
- 5ton breaking strain



Often used on side curtain lorry straps to allow a secure fit to the chassis.

RATFITF Delta Link 50mm

- Lashing delta link
- Ideal for connecting a strap to an anchor point
- 5ton breaking strain



The delta link is ideal for connecting a 50mm strap to smaller anchor points which fit into the point.

RATFITC Twisted Snap Hook 50mm

- Twisted style for webbing
- Safety catch on hook
- 5ton breaking strain



WEB Load Strap Webbing

- 100% Polyester Webbing
- 25mm, 35mm, 50mm & 75mm webbing available
- All load rated webbing
- Straps made to request



Choose from a range of webbing sizes, colours & terminations to create a strap that works for you, all sewn and assembled in house. Popular custom straps include long tails, ratchets with short tails, complete ratchets, endless ratchets, side curtain straps, various colour straps & printed straps. We add sewn in label to our straps which contains information on breaking strains & more.

LIST OF FITTINGS AVAILABLE

Description	Webbing Width	Break Strength
Claw Hook	75mm	10,000kg
Delta Link	75mm	10,000kg
Claw Hook	50mm	5,000kg
Chassis Hook	50mm	5,000kg
Twisted Snap Hook	50mm	5,000kg
Delta Link	50mm	5,000kg
Res Q Link	50mm	5,000kg
Chain Link	50mm	5,000kg
Claw Hook	35mm	3,000kg
Delta Link	35mm	3,000kg
Claw Hook	25mm	1,000kg
Welded Ring	50mm	1,000kg
Welded Ring	50mm	1,500kg
3 Bar Slide	50mm	1,000kg
Flat Snap Hook	50mm	2,300kg
Claw Hook	50mm	1,000kg
Claw Hook	50mm	2,000kg
Closed Rave Hook	50mm	1,000kg

Lashing Accessories

RLPACK50B Recovery Kits (Round Slings)

- Vehicle Recovery Kit
- Secures the vehicle to the recovery truck
- Round slings edition
- 4 metre ratchet straps

This recovery kit is used for lashing the vehicle wheels to the recovery truck. Comes with round slings to fit around the wheels which are designed to fit comfortably and not cause damage to the alloys, ideal for cars.



RLPACK50A Recovery Kits (Wheel Straps)

- Vehicle Recovery Kit
- Secures the vehicle to the recovery truck
- Wheel strap edition
- 4 or 6 metre ratchet straps

Recovery kit comes with ratchets and wheel straps to lash the vehicle to the recovery truck.



RATHANA Long Wide Ratchet Handle

- Popular ratchet handle
- Smooth plated finish
- Attach short tail using ratchet bolt & web loop
- 5 ton breaking strain



Standard 50mm ratchet handles are 5ton rated breaking strain.

RATHANT Short Wide Ratchet Handles

- Popular ratchet handle
- Smooth plated finish
- Attach short tail using ratchet bolt & web loop
- 2 ton breaking strain



Short wide 50mm ratchet handles are 2ton rated breaking strain.

Ask us about printed webbing!

LIST OF HANDLES AVAILABLE

Description	Product Code
Long Narrow	RATHANH
Long Wide	RATHANA
Short Narrow	RATHANB
Short Wide	RATHAND
Ergo Ratchet	RATHANO

Description	Product Code
Centre Buckles	RATHANS
Stainless Centre Buckle	RATHANZ
Cam Buckle	RATHANV
Narrow Pressed Ratchet	RATHANE



Cargo Protection



WEAR Wear Sleeve To Suit Webbing

- Protects ratchet webbing
- Protects cargo edges
- Available in any length
- Various options to suit different webbing sizes

Wear sleeves are an easy and simple way to add extra life to your ratchet strap. Prevents friction and general wear caused by tensioning cargo. Sizes available to suit 35mm, 50mm, & 75mm webbing.

Standard Lengths

Product Code	Size (to suit webbing)	Colour
WEAR1235	35mm (12" Length)	Orange
WEAR12INCH	50mm (12" Length)	Blue
WEAR120	50mm (12" Length)	Orange

Custom Lengths/Sizes

Product Code	Size (to suit webbing)	Colour
WEAR	50mm (Any length)	Blue
WEAROR	50mm (Any Length)	Orange
WEAR95	95mm (Any Length)	Green
WEAR130	130mm (Any length)	Grey



RATFITS1 Heavy Duty Corner Protector

- Black corner guards
- Provides protection to the cargo/ trailer surface when using ratchet straps
- Extra heavy duty item
- 148mm width



RATFITS Pallet Corner Protector

- Pallet edge protection
- Provides protective layer between webbing & cargo
- 100mm gap for webbing

Side Curtain Straps

CTSTRAP

Side Curtain Strap Complete

- Stainless steel overcentre buckle with bolt on holes
- 700mm bottom tail strap
- Closed rave hook ending
- Designed for securing lorry side curtains



TAILSTRAP

Side Curtain Tail Strap

- Replacement tail strap
- 700mm length with a closed rave hook on end
- Webbing rated 2700kgs breaking capacity
- 5T capacity rave hook



RATHANZ1

Over Centre Buckles 50mm

- 50mm plated overcentre buckle for curtain sides
- 800kg breaking strain
- Bolts onto a side curtain
- Easy to assemble to your tail strap



Overcentre buckles for use on lorry side curtains. Simply feed your tail strap through and tighten to secure your curtain

RATHANZ

Stainless Centre Buckles 50mm

- 50mm stainless steel overcentre buckle f
- 800kg breaking strain
- Bolts onto a side curtain
- Easy to assemble to your tail strap




Stainless steel overcentre buckle to suit lorry side curtains. Push down snap style buckle.



Heavy Duty Lashing

7/8MM 10MM 13MM 16MM



ASSL Grade 80 Short Link

- High quality Grade 80
- Tested & certified
- BS-EN818-2 standard
- For use with chain slings & lashing chains

We supply the full size range of ratchet load binders, as well as lever load binders. To be used for tensioning lashing chains, often seen on trailers. Lashing chains are also available to suit with the full Grade 80 range.

RLB Ratchet Load Binders

Product Code	Size (Inch)
RLB08	5/16-3/8
RLB10	3/8-1/2
RLB12	1/2-5/8
RLB16	5/8-3/4



YASCSH Clevis Sling Hook

- Grade 80 alloy steel
- Tested & certified item
- Clevis fitment for chains
- Safety spring catch to prevents load slipping
- Eye type also available



YASCGH Clevis Grab Hook

- Grade 80 alloy steel
- Tested & certified item
- Clevis fitment for chains
- Used for shortening chain slings (grabs)
- Eye type also available



YASCAH Clevis Self Locking Hook

- Grade 80 alloy steel
- Tested & certified
- Clevis fitment for chain
- Auto locking type
- Also available in eye type and swivel type



YASCCH Clevis C Hook

- Grade 80 alloy steel
- Tested & certified
- Clevis fitment for chain
- Unique hook shape



Heavy Duty Lashing

SEBL Swivel Eyebolt With Link

- Grade 80 alloy steel
- Tested & certified
- Full range of movement
- Can be used at 90 degree and straight lifting



YASWLP Weld On Lashing Point

- Grade 80 alloy steel
- Weld on lifting point
- Can be welded onto various applications as a lifting or lashing point
- 1 to 15 tonne options



YASFH Foundry Hook

- Grade 80 alloy steel
- Tested & certified
- Eye fitment connection
- Large hook shape



YASWH Weld On Hook

- Grade 80 alloy steel
- Weld on base creates a lifting/lashing point
- Spring gate for added safety



LASHING CHAINS Grade 80 Lashing Chain Solutions

- 7mm to 16mm chain
- Various hook options
- Hook to hook style
- Made to specification

Choose from our range of grade 80 lashing chain and fittings to ensure your load is secured safely. We will assemble the lashing chains and provide test certificates.

YASWC Web Sling Connector

- Grade 80 alloy steel
- Tested & certified
- Connects grade 80 chain to webbing or a web sling
- Various sizes available



RBD Rectangular Base Deckplates

- Weld on deckplates
- Creates anchor point for trailers, boats & more
- Come with stated proof load on each size



Chain Sling Assembly

GRADE 80

2 Leg Chain Slings

- Grade 80 components
- 7mm to 20mm chain size to suit (see table below)
- Various grade 80 hooks
- Shortening clutches or grab hooks available
- Test certificate provided



GRADE 80

Single Leg Chain Slings

- Grade 80 components
- 7mm to 20mm chain size to suit (see table below)
- Various grade 80 hooks
- Shortening clutches or grab hooks available
- Test certificate provided



GRADE 80

4 Leg Chain Sling

- Grade 80 components
- 7mm to 20mm chain size to suit (see table below)
- Various grade 80 hooks
- Shortening clutches or grab hooks available
- Test certificate provided



PGS Supplies is now part of the A P Lifting Gear group, allowing us to offer the full range Lifting Gear, Mechanical Handling, Marine & Load Securing Products. For more info, speak to our sales team.

LOADING (0-45 DEGREES)	1 LEG (TONNES)	2 LEG (TONNES)	3 LEG (TONNES)	4 LEG (TONNES)
7MM	1.50	2.12	3.15	3.15
8MM	2.00	2.80	4.25	4.25
10MM	3.15	4.25	6.70	6.70
13MM	5.30	7.50	11.20	11.20
16MM	8.00	11.20	17.00	17.00
20MM	12.50	17.00	26.50	26.50

Shackles

USSPB

Alloy Screw Pin Bow Shackle

- US Federal Spec Shackle
- Ideal for lifting, towing
- A wide range of sizes / load rating available
- Tested & certified item
- Screw pin type Bow



USSPD

Alloy Screw Pin Dee Shackle

- US Federal Spec Shackle
- Ideal for lifting, towing
- A wide range of sizes / load rating available
- Tested & certified item
- Screw pin type Dee



USSAB

Alloy Safety Pin Bow Shackle

- US Federal Spec Shackle
- Ideal for lifting, towing
- A wide range of sizes / load rating available
- Tested & certified item
- Safety pin type Bow



USSAD

Alloy Safety Pin Dee Shackle

- US Federal Spec Shackle
- Ideal for lifting, towing
- A wide range of sizes / load rating available
- Tested & certified item
- Safety pin type Dee



Shackle Type	Sizes Range:
Screw Pin Bow	0.33 to 85 Tonnes
Screw Pin Dee	0.33 to 55 Tonnes
Safety Type Bow	0.5 to 150 Tonnes
Safety Type Dee	2 to 85 Tonnes



Polyester Lifting Slings

WS1T

1T Violet Round Slings



- 1 Tonne Violet Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m Circ available

WS2T

2T Green Round Slings



- 2 Tonne Green Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m Circ available

WS3T

3T Yellow Round Slings



- 3 Tonne Yellow Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m Circ available

WS4T

4T Grey Round Slings



- 4 Tonne Grey Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 2m to 12m Circ available

WS5T

5T Red Round Slings



- 5 Tonne Red Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 2m to 12m Circ available

WS6T

6T Brown Round Slings



- 6 Tonne Brown Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 2m to 12m Circ available

WS8T

8T Blue Round Slings



- 8 Tonne Blue Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 2m to 10m Circ available

WS10T

10T Orange Round



- 10 Tonne Orange Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 4m to 12m Circ available

WS12T

12T Round Slings



- 12 Tonne Orange Round sling
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 5m to 12m Circ available

Polyester Lifting Slings

WS1T

1T Violet Web Slings



- 1 Tonne Violet Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m length available

WS2T

2T Green Web Slings



- 2 Tonne Green Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m length available

WS3T

3T Yellow Web Slings



- 3 Tonne Yellow Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m length available

WS4T

4T Grey Web Slings



- 4 Tonne Grey Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 1m to 12m length available

WS5T

5T Red Web Slings



- 5 Tonne Red Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 2m to 12m length available

WS6T

6T Brown Web Slings



- 6 Tonne Brown Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 2m to 12m length available

WS8T

8T Blue Web Slings



- 8 Tonne Blue Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 3m to 12m length available

WS10T

10T Orange Web Slings



- 10 Tonne Orange Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 4m to 8m length available



WS12T

12T Orange Web Slings



- 12 Tonne Orange Web sling
- Wear sleeves around eyes
- Tested and certified item
- Factor of safety 7:1 / EN-1492-1
- 4m to 8m length available

Polyester Lifting Load Chart

LOAD CHART (TONNES)								
								
								
LOAD FACTOR	SWL	L = 1.0	L = 0.8	L = 2.0	L = 1.9	L = 1.7	L = 1.4	L = 1.0
COLOUR CODE	SWL	VERTICAL	CHOKE	BASKET	30 DEGREES	60 DEGREES	90 DEGREES	120 DEGREES
VIOLET	1.0	1.0	0.8	2.0	1.9	1.7	1.4	1.0
GREEN	2.0	2.0	1.6	4.0	3.8	3.4	2.8	2.0
YELLOW	3.0	3.0	2.4	6.0	5.7	5.1	4.2	3.0
GREY	4.0	4.0	3.2	8.0	7.6	6.9	5.6	4.0
RED	5.0	5.0	4	10.0	9.5	8.6	7.0	5.0
BROWN	6.0	6.0	4.8	12.0	11.4	10.3	8.4	6.0
BLUE	8.0	8.0	6.4	16.0	15.2	13.8	11.2	8.0
ORANGE	10.0	10.0	8.0	20.0	19	17.3	14.1	10.0



Trailer & site Equipment



Warning Triangles

STANDARD DUTY Load Marker Set

- Set of 3 triangles
- 600gsm pvc (printed)
- Eyelets in each corner
- Easy application

Load markers are essential when carrying wide loads. Easy attachment to cargo & trailers by use of eyelets. Made from a flexible PVC which is easy to carry around in the cab.



EXTRA HEAVY DUTY PGS Load Marker Set

- Set of 3 triangles
- 1200gsm combined material
- Double layered PVC
- Eyelets & ropes provided

The PGS load marker comes as 2 layered pieces of PVC heat welded/sewn to provide an extra heavy duty finish. Comes with PVC reinforced eyelets in each corner and along edge.



AG0700 Polypropylene Ropes 220m

- Blue Polypropylene rope
- 220 metre length per coil
- Versatile rope is suitable for various applications



Product Code	Size	Minimum Breaking Load
AG07006	6mm	290 KGS
AG07008	8mm	480 KGS
AG070010	10mm	865 KGS
AG070012	12mm	1330 KGS
AG070016	16mm	2160 KGS
AG070020	20mm	3784 KGS
AG070022	22mm	5600 KGS
AG070024	24mm	6900 KGS



AG0742 Shock Cord 100m Reels

- 100m reels shock cord
- Initial stretch 50-75%
- White with black fleck
- Ideal for securing light cargo or sheeting



Product Code	Size
AG07426	6mm
AG07428	8mm
AG074210	10mm
AG074212	12mm

Barriers, Chains & Signs



ZZQRPFB **Folding Safety Barrier**

- Extendible barrier
- Reflective strip front
- Can be filled with water
- 2.5 metre x 965mm high

The extendible barrier is a quick & effective way to block an area. The gate will extend up to 2.5 meter and comes with reflective strips for extra visibility. Can also be filled with water for extra weight but is still portable.



ZPC **Plastic Barrier Chain**

- Plastic barrier chains
- 6mm, 8mm & 10mm
- A range of colour chains
- Ideal for sectioning an area up

The plastic chains come in 3 different sizes available in white, black, red, green, blue, yellow & other colour combinations. Ideal for sectioning or marking an area. Comes on a handy reel.



POST **Drive Posts**

- Folding & fixed bollards
- 670mm bollard height
- High quality steel
- Available with locking base plate

Easy to secure posts available in red & white or black & yellow. Ideal for driveway security on carparks. Other options including folding or fixed posts.



SITE **Site Management Equipment**

- Traffic Cones signs
- Line marking equipment
- Shovels, rakes & tools
- Various signs available

A range of site management products available in store and on request including cones, signage, line marking equipment & more. Other products available on request include shovels, rakes, watering cans and much more.

Wheel Nut Indicators



ZZYKCP Wheel Nut Indicators

The wheel nut indicators allow you to quickly check the security of your wheel nuts. Sizes below.

Product Code	Size
ZZYKCP17	17mm
ZZYKCP19	19mm
ZZYKCP21	21mm
ZZYKCP22	22mm
ZZYKCP24	24mm
ZZYKCP27	27mm
ZZYKCP28	28mm
ZZYKCP29	29mm
ZZYKCP30	30mm
ZZYKCP32	32mm
ZZYKCP33	33mm
ZZYKCP34	34mm
ZZYKCP35	35mm
ZZYKCP36	36mm
ZZYKCP38	38mm
ZZYKCP41	41mm

ZZYKDCS Short Reach Nut Indicator

Short reach type nuts are available in 2 sizes as below.



Product Code	Size
ZZYKCL32	32mm
ZZYKCL33	33mm



ZZYKDCL Long Reach Nut Indicator

Ideal wheel nut indicator for long reach nuts. Fits comfortably to the wheel nut for indication.

Product Code	Size
ZZYKDCL17	17mm
ZZYKDCL19	19mm
ZZYKDCL21	21mm
ZZYKDCL22	22mm
ZZYKDCL24	24mm
ZZYKDCL27	27mm
ZZYKDCL30	30mm
ZZYKDCL32	32mm
ZZYKDCL33	33mm
ZZYKDCL38	38mm



ZZYKCL Wheel Nut Check Link

The double link wheel nut indicator allows you to quickly identify loose nuts when the link breaks.

Product Code	Size
ZZYKCL32	32mm
ZZYKCL33	33mm
ZZYKCL38	38mm

Workwear & Personal Protective Equipment

We supply a range of workwear and PPE including safety footwear, high visibility clothing (branding available), headwear, gloves and more. We stock our own products as well as specific brands available on request.

FOOTWEAR

Safety Boots

- Steel toe capped shoes
- Various colours/sizes
- Leather or suede options
- Other brands available



HI-VIS

High Visibility Clothing

- Range of hi-vis clothing
- Printing & embroidery for names/logo available
- Wide range of sizes
- Vests, hoodies, jackets, trousers, shirts etc



High visibility clothing available in the required specifications. Printing & embroidery is also offered.

HELMETS

Safety Headwear

- Hard hats & helmets
- Stocked at our store
- Extras include chin strap, clip on ear defender, goggles, sticker options



Safety headwear available in the classic yellow or other colours available on request.


GLOVES

Glove Range

- Various worker gloves
- PVC rubber coated, leather, wool options
- Bulk quantities available



Levelling



ZZIELWCR

Large Wheel Chock

- Size:22cm x 11cm x 13cm
- Integrated handle & rope
- Ribbed base for wheel
- Firm structured plastic

Large wheel chock comes with an integrated handle & ropes for easy usage.

ZZQRTS924

Heavy Duty Ramps

- Pair of heavy duty ramps
- Tested to sustain 17 tons
- Ideal for suspending the vehicle without using jack
- Size:61cm x 21cm x 18cm
- Lift height: 140mm




Heavy duty ramps are suitable for suspending the vehicle for tyre change or maintenance.

ZZQRTS194

Heavy Duty Wheel Chock

- Plastic wheel chock
- Metal grip base plate
- Bright finish



Heavy duty wheel chocks are 395mm x 160mm x 193mm. Suitable for use with smaller trucks.

Warning Lights & Markers

ZZTVP07126257 LED Angled Side Markers

- Pair of 2 side markers
- IP67 waterproof finish
- 12 LED 12v/24v - 1w
- Angled style shape
- Two bolt fixing holes



The LED angled side markers have two bolt fixing for easy attachment to a lorry or trailer rear.

ZZTVP07126256 LED Stalk Side Markers

- Pair of 2 side markers
- IP67 waterproof finish
- 12 LED 12v/24v - 1w
- Stalk narrow style shape
- Two bolt fixing holes
- Size: 75x40x30mm



The LED stalk markers have two bolt fixing for easy attachment to a lorry or trailer rear.

TTR Screw On Warning Triangle

- Ideal for trailers/boards
- Identifiable warning triangles in reflective
- Reflector size: 135mm
- Overall size: 168mm
- 2 holes for screwing in



The reflective warning triangles are suitable for trailer boards, trailers, horse boxes and trucks.

ZZNRFL1Y 60mm Screw On Amber Reflector

- Size: 60mm diameter
- Centre screw on type
- Amber colour reflector
- Easy trailer application
- Highly reflective plastic



Manufactured from a high reflective plastic. Easy to apply to a trailer or trailer board using centre screw.

ZZTVP0712416 Amber Side Marker



LED side markers have 6 LED lights with operating voltage 12v to 30v ABS rear cover and PMMA lens.

- Amber marker
- 6 LED structure
- Size: 75mm x 40mm x 30mm
- Voltage: 12v-30v
- ABS rear cover

ZZTVP07124161 Red Side Marker



LED side markers have 6 LED lights with operating voltage 12v to 30v ABS rear cover and PMMA lens.

- Red marker
- 6 LED structure
- Size: 75mm x 40mm x 30mm
- Voltage: 12v-30v
- ABS rear cover

ZZTVP07124163 White Side Marker



LED side markers have 6 LED lights with operating voltage 12v to 30v ABS rear cover and PMMA lens.

- White marker
- 6 LED structure
- Size: 75mm x 40mm x 30mm
- Voltage: 12v-30v
- ABS rear cover

Warning Lights & Markers

ZZTRO20RC

Red & Clear Marker



These warning marker lights are suitable for your trailer and blind spots. Dual tone red and clear.

- Red/Clear light
- E4 approved
- Size: 93mm x 42mm x 37mm
- Ideal for trailers
- Dual tone flash

ZZTRO20C

Black & Clear Marker



These warning marker lights are suitable for your trailer and blind spots. Dual tone black and clear.

- Black/Clear light
- E4 approved
- Size: 93mm x 42mm x 37mm
- Ideal for trailers
- Dual tone flash

ZZTRO20R

Black & Red Marker



These warning marker lights are suitable for your trailer and blind spots. Dual tone black and red.

- Black/red light
- E4 approved
- Size: 93mm x 42mm x 37mm
- Ideal for trailers
- Dual tone flash

Pins & Fixings

ALP

Anti Luce Pins

Antiluce pin fasteners have a vast range of uses and ideal for trailer tail gates, horse boxes lorry side panels. The rotating end allows you to thread through an object and then lock it into place - bottom nut allows you to tighten and secure.

- Wide range of sizes
- Weld-able options
- Plated or self colour



Product Code	Size (dia x length)	Finish
ALP0840	8mm x 40mm	Zinc Plated
ALP0845	8mm x 45mm	Self Colour
ALP0857	8mm x 57mm	Zinc Plated
ALP0877	8mm x 77mm	Self Colour
ALP12101	12mm x 101.5mm	Zinc Plated
ALP1212	12mm x 12mm	Self Colour
ALP1225	12mm x 25mm	Self Colour
ALP1235	12mm x 35mm	Self Colour
ALP1238	12mm x 38mm	Zinc Plated
ALP1251	12mm x 51mm	Zinc Plated
ALP1259	12mm x 59mm	Zinc Plated
ALPSS0857	8mm x 57mm	Stainless Steel

SHEFFIELD DEPOT

PGS Supplies 21 Ltd
Prospect Works
Worthing Road
Sheffield, S9 3JB

Phone: 0114 2765566
Email: sales@pgs-supplies21.co.uk
Web: www.pgs-supplies21.co.uk

MIDLANDS OFFICE

AP lifting Gear Co Ltd
92 Northfield Rd
Netherton
Dudley, DY2 9JQ

Phone: 01384 250552
Email: sales@aplifting.com
Web: www.aplifting.com

T: 0114 2765566

E: SALES@PGS-SUPPLIES21.CO.UK

W: WWW.PGS-SUPPLIES21.CO.UK