



# A.P. Lifting Gear Company Ltd.

FISHING & MARINE PRODUCT GUIDE

ISO 9001


BUREAU VERITAS  
Certification



ACE TRAWLING  
ACE LIFTING  
OCEAN BLUE  
MARINE PRODUCTS

## A P FISHING & MARINE EQUIPMENT

Our fishing and marine equipment range varies to suit all applications, featuring our ACE trawling range including shackles, chain and more. As well as our Ocean Blue & SEAFLO range of pumps, switches and other marine equipment. Our range includes but is not limited to the products listed in the catalogue and the full list can be found on our website at [www.aplifting.com](http://www.aplifting.com), full product specs and further information can also be found here.



## A-SERIES BUOY Marker Buoys

- Inflatable marker buoys
- Manufactured from PVC
- Smooth glossy surface
- Well secured top valve
- Range of applications



Type	Size (circ.)	Product Code
A-0	30"	ZZCAHD
A-1	40"	ZZCA1HD
A-2	50"	ZZCA2HD
A-3	60"	ZZCA3HD
A-4	75"	ZZCA4HD
A-5	95"	ZZCA5HD
A-6	110"	ZZCA6HD

## LD-SERIES BUOY Marker Buoy

- Designed to reduce drag to water when picking up
- Ideal for commercial fishing inshore/offshore



Type	Size (circ.)	Product Code
LD-1	40"	ZZCPAR1
LD-2	50"	ZZCPAR2
LD-3	60"	ZZCPAR3

## FRD Rope Disc



Diameter	Hole Size	Weight	Product Code
6"	1.25"	25kg	FRD06
8"	1.25"	25kg	FRD08
10"	1.25"	25kg	FRD10

## ZZCFBK Fish Baskets

- High Impact PP
- 44L or 58L options
- Heat & cold resistant
- Great traction resistant



Product Code	Capacity	Outside Upper dia	Outside Lower dia	Height	Weight
ZZCFBK1	44L	48cm	37cm	38cm	1.65kg
ZZCFBK2	58L	53cm	37cm	43cm	1.80kg



## BPA

### Submersible Live Bait Well Cartridge Aerator Pump

- Pumps seawater directly into live bait tank
- Completely submersible
- Water cooled motor
- Use only with live bait well pump



GPH	Voltage	Max Head Lift	Outlet Dia	Amps	Fuse	Overall Height/Length	Product Code
350	12V	2.5M	19MM	2.50	5.0 MAX	132MM X 240MM	BPA03
600	12V	2.5M	19MM	3.00	5.0 MAX	240MM HEIGHT	BPA06
800	12V	2.5M	19MM	4.00	7.0 MAX	240MM HEIGHT	BPA08
350	12V	2.5M	19MM	2.50	5.0 MAX	132MM X 240MM	BPAA03
600	12V	2.5M	19MM	3.00	5.0 MAX	132MM X 240MM	BPAA06
800	12V	2.5M	19MM	4.00	7.0 MAX	132MM X 240MM	BPAA08



## BPAP

### Live Bait Well Aerator Pump 12v

- Kit includes battery clips for easy attachment to your 12V power source
- Flex pipes/ducts provided with kit.



GPH	Height	Width	Max	Fuse	Hose Dia x Length	Temperature Limits	Aerator tube dia x Width	Product Code
350	126MM	65MM - 118MM	1-0AMP	2-0AMP	25MM X 360MM	43 DEGREES CELSIUS	20MM X 162MM	BPAP350



## PUMP RANGE

We have a wide range of marine and boat pumps available. See our the Fishing & Marine section of our website for more information [www.aplifting.com](http://www.aplifting.com)





## ANBP

### Fishermans Bay Palm Anchor



Size	Length	Product Code
2 KG	430MM	ANBP02
3 KG	585MM	ANBP03
4 KG	590MM	ANBP04
5 KG	600MM	ANBP05
6 KG	670MM	ANBP06
7 KG	675MM	ANBP07
8 KG	730MM	ANBP08
9 KG	830MM	ANBP09
10 KG	770MM	ANBP10
12 KG	850MM	ANBP12

Size	Length	Product Code
14 KG	890MM	ANBP14
15 KG	910MM	ANBP15
16 KG	990MM	ANBP16
17 KG	930MM	ANBP17
18 KG	940MM	ANBP18
20 KG	1030MM	ANBP20
25 KG	1150MM	ANBP25
32 KG	1180MM	ANBP32
40 KG	1190MM	ANBP40
50 KG	1190MM	ANBP50



## ANB

### Jet Anchor



Size	Length	Product Code
2 KG	360MM	ANB02
5 KG	460MM	ANB05
7.5 KG	535MM	ANB07
10 KG	585MM	ANB10
15 KG	635MM	ANB15
20 KG	710MM	ANB20

Size	Length	Product Code
25 KG	748MM	ANB25
30 KG	790MM	ANB30
40 KG	800MM	ANB40
50 KG	820MM	ANB50
75 KG	900MM	ANB75
100 KG	950MM	ANB100



## AND


### Delta Anchor



Size	Length	Product Code
4 KG	500MM	AND04
6 KG	620MM	AND06
8 KG	660MM	AND08
10 KG	720MM	AND10
15 KG	840MM	AND15
20 KG	900MM	AND20



## ANC Cruising Anchor




Size	Length	Product Code
1.5 KG	415MM	ANC01.5
2.5 KG	510MM	ANC02.5
3.2 KG	540MM	ANC03.2
4.5 KG	570MM	ANC04.5
7 KG	645MM	ANC07

Size	Length	Product Code
10 KG	700MM	ANC010
14 KG	860MM	ANC014
16 KG	990MM	ANC016
20 KG	1025MM	ANC020
30 KG	1160MM	ANC030
40 KG	1180MM	ANC040



## ANF Folding Anchor



Size	Length	Product Code
0.7 KG	180MM	ANF0.7
1.5 KG	277MM	ANF01.5
2.5 KG	334MM	ANF02.5
3.2 KG	376MM	ANF03.2
4 KG	421MM	ANF04

Size	Length	Product Code
6 KG	510MM	ANF06
8 KG	525MM	ANF08
10 KG	575MM	ANF10
12 KG	615MM	ANF12
15 KG	625MM	ANF15



## ANP Plough Anchor



Size	Length	Product Code
5 KG	455MM	ANP05
7 KG	500MM	ANP07
8 KG	560MM	ANP08
9 KG	605MM	ANP09

Size	Length	Product Code
12 KG	655MM	ANP12
16 KG	740MM	ANP16
22 KG	695MM	ANP22
24 KG	745MM	ANP24
35 KG	920MM	ANP35



**UA**

## Mushroom Umbrella Anchor



Size	Length	Product Code
25 LBS	460MM	UA25
50 LBS	690MM	UA50
100 LBS	1000MM	UA100
150 LBS	1055MM	UA150
200 LBS	1097MM	UA200

Size	Length	Product Code
250 LBS	1150MM	UA250
300 LBS	1200MM	UA300
400 LBS	1250MM	UA400
500 LBS	1350MM	UA500
1000 LBS	1600MM	UA1000



**ANFP**

## Four Prong Grapnel Anchor



Size	Length	Product Code
2 KG	432MM	ANFP02
3 KG	508MM	ANFP03
5 KG	609MM	ANFP05
7 KG	711MM	ANFP07

Size	Length	Product Code
9 KG	711MM	ANFP09
12 KG	730MM	ANFP12
16 KG	830MM	ANFP16
18 KG	895MM	ANFP18
20 KG	1000MM	ANFP20



**SSFNH**

## Four Prong Grapnel Anchor

**Stainless Steel**



Size	Weight	Product Code	Price Each
------	--------	--------------	------------



**GFNH**

## Fishing Net Hook



Size	Product Code
8MM X 250MM	GFNH

**GMA**

## Mountain Anchor





Width	Length	Type	Product Code
35 MM	210 MM	STRAIGHT	GMA5
35 MM	220 MM	ANGLED	GMAA





## **ASSL** Short Link Fishing Chain Grade 80 Alloy Steel

A (mm)	B (mm)	C (mm)	B L (T)	Weight (kg/mtr)	Product Code
7	21	26	6.0	1.1	ASSL07
8	24	29	8.0	1.44	ASSL08
10	30	37	12.6	2.2	ASSL10
13	39	48	21.2	3.8	ASSL13
16	48	59	32.0	5.7	ASSL16
20	60	74	50.0	9.0	ASSL19
22	66	81.5	60.0	10.6	ASSL22
26	78	96	84.8	14.8	ASSL26
32	96	119	126.0	21.6	ASSL32




## **ASMD** Mid Link Fishing Chain Grade 80 Alloy Steel Yellow

A (mm)	B (mm)	C (mm)	B L (T)	Weight (kg/mtr)	Product Code
10	40	35	12.6	1.9	ASMD10
13	52	46	21.2	3.4	ASMD13
16	64	57	32.0	5.1	ASMD16
19	76	67	45.4	7.1	ASMD19





## **ASLL** Long Link Fishing Chain Grade 80 Alloy Steel Yellow

A (mm)	B (mm)	C (mm)	B L (T)	Weight (kg/mtr)	Product Code
9	53	33	10.0	1.4	ASLL09
11	64	40	15.0	1.8	ASLL11
13	80	49	21.4	2.7	ASLL13
16	100	60	32.2	4.8	ASLL16
19	96	65	42.2	6.8	ASLL19



## **ASSL** Grade 100 Short Link

A (mm)	B (mm)	C (mm)	B L (T)	Weight (kg/mtr)	Product Code
6	18	8		1.10	G10ASSL06
7	21	9		1.25	G10ASSL07
8	24	16		1.40	G10ASSL08
10	30	17		2.20	G10ASSL10
13	39	20		3.80	G10ASSL13
16	48	22		5.70	G10ASSL16





## TDS

### Square Head Trawler Dee Shackle



Body Dia (mm)	Pin Dia (mm)	Product Code
6	6	TDS06
8	8	TDS08
10	10	TDS10
12	12	TDS12
12	16	TDS12A
16	16	TDS16
16	19	TDS16A

Body Dia (mm)	Pin Dia (mm)	Product Code
19	19	TDS20
19	22	TDS20A
22	22	TDS22
22	25	TDS22A
25	25	TDS25
25	28	TDS25A



## TBS

### Square Head Trawler Bow Shackle



Body Dia (mm)	Pin Dia (mm)	Product Code
10	10	TBS10
13	13	TBS12
13	16	TBS12A
16	16	TBS16
16	19	TBS16A
20	20	TBS20

Body Dia (mm)	Pin Dia (mm)	Product Code
20	22	TBS20A
22	22	TBS22
22	25	TBS22A
25	25	TBS25
25	28	TBS25A



## BPT

### Square Head Shackles (Tested)



Body Diameter	Pin Diameter	SWL (Ton)	Dee Type	Bow Type
10	12	1.0	BPTDS10A	BPTBS10A
12	16	1.5	BPTDS12A	BPTBS12A
16	19	2.5	BPTDS16A	BPTBS16A
19	22	3.0	BPTDS20A	BPTBS20A
22	25	4.0	BPTDS22A	BPTBS22A
25	28	5.0	BPTDS25A	BPTBS25A



**BPUST**  
**US Federal Spec Square Head Shackles Blue Pin**



SWL (Ton)	Size (")	Dee Type Code	Bow Type Code
2.00	1/2 x 5/8	BPUSTDS2	BPUSTBS2
3.25	5/8 x 3/4	BPUSTDS3.25	BPUSTBS3.25
4.75	3/4 x 7/8	BPUSTDS4.75	BPUSTBS4.75
6.50	7/8 x 1	BPUSTDS6.5	BPUSTBS6.5
8.50	1 x 1 1/8	BPUSTDS8.5	BPUSTBS8.5
9.50	1 1/8 x 1 1/4	BPUSTDS9.5	BPUSTBS9.5
12.00	1 1/4 x 1 5/8	BPUSTDS12	BPUSTBS12

**COMDC**  
**Commercial Dee Shackles Type C Countersunk Pin**



Size (mm)	Product Code
6	COMD06C
8	COMD08C
10	COMD10C
11	COMD11C
12	COMD12C
16	COMD16C

**SHACKLE RANGE**

As well as our Fishing and Trawling shackles, we stock a huge range of lifting shackles including BS standard, US Federal Spec, Fram and much more. Stainless steel shackles also available in the full range of shapes and sizes.



## **YASCC** Grade 80 Alloy Steel Fishing Connector (Hammer Locks)

Chain Dia (mm)	SWL (Ton)	Product Code
6	1.12	YASCC06
7	1.5	YASCC07
10	3.15	YASCC10
13	5.3	YASCC13
16	8.0	YASCC16
20	12.5	YASCC20
22	15.0	YASCC22
26	21.2	YASCC26
32	31.5	YASCC32



## **DFRL** Recessed Links Drop Forged (Tested)

Size Dia (")	SWL (Ton)	Product Code
13/16	3.0	DFRL
1/2	1.0	DFRL12
5/8	1.5	DFRL16
3/4	3.2	DFRL20
7/8	10	DFRL22
1	12	DFRL25
1 1/8	15	DFRL28
1 1/4	20	DFRL32



## **DFGH** G Hook Drop Forged

Length (mm)	Opening (mm)	SWL (Ton)	Product Code
126	16	2.0	DFGH
126	16	4.2	DFGH126
180	19	6.4	DFGH180
88	10	1.0	DFGH88
107	13	1.5	DFGH107
123	15	3.2	DFGH123



## **VL** Viking Link Drop Forged

Length (mm)	Eye Dia (mm)	SWL	Product Code
115	30	3	VL30
130	36	5	VL50
145	42	8	VL80



## **BPS** Swivels Drop Forged

Dia (mm)	Length (mm)	Eye Dia (mm)	SWL (Ton)	Product Code
16	150	22	2.4	BPS16
19	185	28	3.8	BPS20
22	230	34	5.3	BPS22
25	265	37	7.2	BPS25
28	320	44	9.5	BPS28



## **BPSSC** Swivels Drop Forged With Stainless Centre

Dia (mm)	Length (mm)	Eye (mm)	SWL (Ton)	Product Code
10	135	25 x 31	1.4	BPSSC10
12	143	38 x 36	1.8	BPSSC12
16	178	35 x 41	2.3	BPSSC16
19	205	35 x 51	4.2	BPSSC19



## **BPSBB** Swivels With Large Eye Each End

Dia (mm)	Length (mm)	Top Eye (mm)	Bottom Eye (mm)	SWL (Ton)	Product Code
8	80	12 x 15	13 x 22	0.5	BPSBB08
10	135	25 x 31	29 x 29	0.6	BPSBB10
12	143	38 x 36	30 x 33	1.1	BPSBB12
14	168	33 x 37	38 x 40	1.3	BPSBB14
16	178	35 x 41	38 x 40	1.5	BPSBB16
19	205	35 x 51	38 x 46	2.4	BPSBB19




## **ASCR** Alloy C Rings (Yellow Zinc Plated)

Dia (mm)	Length (mm)	Product Code
10	68	ASCR10
12	76	ASCR12
14	89	ASCR14
16	101	ASCR16
20	114	ASCR20
22	127	ASCR22



## **ALLOY STEEL RANGE**

Further product details and dimensions can be found on our website at [www.aplifting.com](http://www.aplifting.com). We stock the full range of Grade 80 fittings, Grade 100 fittings, Alloy hooks and much more.



## **SSDD** Stainless Steel 316 Dee Shackles With Allen Key Flush Pin

Body Dia (mm)	Pin dia (mm)	Product Code
6	6	SSDD06
8	8	SSDD08
10	10	SSDD10
12	12	SSDD12



## **SSTDS** Stainless Steel 316 Square Head Trawler Dee Shackle

Body Dia (mm)	Pin dia (mm)	Product Code
6	6	SSTDS06
8	8	SSTDS08
10	10	SSTDS10
12	12	SSTDS12



## **SSTT** Stainless Steel 316 Tube Thimble

Max wire (mm)	Tube dia (mm)	Product Code
10	12	SSTT10
12	15	SSTT12
16	19	SSTT16
20	22	SSTT20
26	30	SSTT26
32	35	SSTT32



## **SSGH** Stainless Steel 316 G Hook

Length (mm)	Eye dia (mm)	Product Code
121	22.5	SSGH3
178	35	SSGH6



## **SSRL** Stainless Steel 316 Recessed Link

Body dia (mm)	Inside dims (mm)	Product Code
21	98 x 34	SSRL3
24.5	124 x 48	SSRL6



## **SSTRR** Stainless Steel 316 Trawl Rope Release Socket

Size inside (mm)	Length (mm)	Product Code
7-12	78	SSTRR12
12-16	147	SSTRR16



## **SSFS** Stainless Steel 316 Flexible Swivel

Body Dia (mm)	Length (mm)	MBL (Ton)	Product Code
13	160	8	SSFS13
16	200	16	SSFS16
19	235	23.5	SSFS19
22	255	31.5	SSFS22
25	320	41	SSFS25
32	360	50	SSFS32
38	410	70	SSFS38



## **SSCR** Stainless Steel 316 C Rings

Body Dia (mm)	Length (mm)	Product Code
5	20	SSCR05
6	24	SSCR06
8	32	SSCR08
10	40	SSCR10
13	52	SSCR13
16	64	SSCR16
19	76	SSCR19



## **SSHDSL** Stainless Steel 316 Heavy Duty Split Link

Body Dia (mm)	Inside dims (mm)	Product Code
10	18 x 50	SSHDSL18
12	19 x 55	SSHDSL19
16	23 x 73	SSHDSL20
20	24 x 80	SSHDSL21
22	27 x 87	SSHDSL22



## **SSSLC** Stainless Steel 316 Swivel & Link Combination

Size	Length (mm)	Product Code
16	207	SSSLC16
19	244	SSSLC18



## **SSSRA** Stainless Steel 316 Spectacles

Large Ring (mm)	Small Rings (mm)	Product Code
8 x 60	8 x 50	SSSRA08
10 x 70	10 x 60	SSSRA10






## RHGB Galvanised Red Head Swivel Malleable Iron Blocks

Complete With Sealed Ball Bearing Steel Sheaves For Use With Wire Rope

**\*\*Full product specification & dimensions can be found on our website [www.aplifting.com](http://www.aplifting.com)\*\***



### SINGLE SHEAVE

Shell (")	SWL (Ton)	Rope Dia (mm)	Oval Eye Code	Safety Hook Code
3	0.2	12	RHGBSE3	RHGBSH3
4	0.4	16	RHGBSE4	RHGBSH4
5	0.5	18	RHGBSE5	RHGBSH5
6	1	24	RHGBSE6	RHGBSH6
8	1.3	28	RHGBSE8	RHGBSH8
10	1.8	32	RHGBSE10	RHGBSH10



### DOUBLE SHEAVE

Shell (")	SWL (Ton)	Rope Dia (mm)	Oval Eye Code	Safety Hook Code
3	0.4	12	RHGBDE3	RHGBDH3
4	0.9	16	RHGBDE4	RHGBDH4
5	1.1	18	RHGBDE5	RHGBDH5
6	2.0	24	RHGBDE6	RHGBDH6
8	2.6	28	RHGBDE8	RHGBDH8
10	3.6	32	RHGBDE10	RHGBDH10



### TREBLE SHEAVE

Shell (")	SWL (Ton)	Rope Dia (mm)	Oval Eye Code	Safety Hook Code
3	0.6	12	RHGBTE3	-
4	1.0	16	RHGBTE4	RHGBTH4
5	1.5	18	RHGBTE5	RHGBTH5
6	3.0	24	RHGBTE6	-
8	3.9	28	RHGBTE8	
10	5.4	32	RHGBTE10	



## **GB Galvanised Malleable Iron Blocks**

Complete With Plain Bore Iron Sheaves For Use With **Fibre Rope**

**\*\*Full product specification & dimensions can be found on our website [www.aplifting.com](http://www.aplifting.com)\*\***



### **SINGLE SHEAVE**

Shell (")	SWL (Ton)	Rope Dia (mm)	Oval Eye Code	Safety Hook Code
3	0.2	12	GBSE3	GBSH3
4	0.4	16	GBSE4	GBSH4
5	0.5	18	GBSE5	GBSH5
6	1	24	GBSE6	GBSH6
8	1.3	28	GBSE8	GBSH8
10	1.8	32	GBSE10	GBSH10

### **DOUBLE SHEAVE**

Shell (")	SWL (Ton)	Rope Dia (mm)	Oval Eye Code	Safety Hook Code
3	0.4	12	GBDE3	GBDH3
4	0.9	16	GBDE4	GBDH4
5	1.1	18	GBDE5	GBDH5
6	2.0	24	GBDE6	GBDH6
8	2.6	28	GBDE8	GBDH8
10	3.6	32	GBDE10	GBDH10

### **TREBLE SHEAVE**

Shell (")	SWL (Ton)	Rope Dia (mm)	Oval Eye Code	Safety Hook Code
3	0.6	12	GBTE3	GBTH3
4	1.0	16	GBTE4	GBTH4
5	1.5	18	GBTE5	GBTH5
6	3.0	24	GBTE6	GBTH6
8	3.9	28	GBTE8	GBTH8
10	5.4	32	GBTE10	GBTH10



**GB Galvanised Blocks With Swivel Oval Eye**  
Available with Bronze Bushed **Steel Sheave** OR **Nylon Sheave**



**SINGLE SHEAVE**

Shell (mm)	SWL (Ton)	Rope Dia (mm)	Steel Sheave Code	Nylon Sheave Code
110	1	12	GBSS080	GBSN080
140	2	16	GBSS110	GBSN110
165	3	20	GBSS150	GBSN150

**DOUBLE SHEAVE**

Shell (mm)	SWL (Ton)	Rope Dia (mm)	Steel Sheave Code	Nylon Sheave Code
110	1	12	GBDS080	GBDN080
140	2	16	GBDS110	GBDN110
165	3	20	GBDS150	GBDN150

**GLLB Hot Dipped Galvanised Lazy Line Block**

Shell (")	SWL (Ton)	Length (mm)	Eye Dims (mm)	Product Code
4	2	358	56 x 30	GLLB075
6	3	450	72 x 32	GLLB100



**BPSH Slip Hook**

Size	Length (mm)	Product Code
6	155	BPSH06
10	255	BPSH010
12	305	BPSH012



**SSSP Splicing Spike (Stainless Steel)**

Length (mm)	Product Code
170	SSSP170
280	SSSP



**SSSHWS Stainless Steel Hook With Brass Sleeve**

Size	Dia (mm)	Length (mm)	Product Code
8	8	100	SSSHWS08
10	10	135	SSSHWS10



## **BPTT** Heavy Duty Tube Thimble Blue Painted



Max Wire (mm)	Tube Dia (mm)	Product Code
10	12	BPTT10
12	15	BPTT12
14	17	BPTT14
16	19	BPTT16
18	20	BPTT18
20	22	BPTT20

Max Wire (mm)	Tube Dia (mm)	Product Code
22	25	BPTT22
24	28	BPTT24
26	30	BPTT26
32	35	BPTT32
38	45	BPTT38

## **BPTTFP** Heavy Duty Tube Thimble Blue Painted Complete With Fillet Plate



Max Wire (mm)	Tube Dia (mm)	Product Code
10	12	BPTTFP10
12	15	BPTTFP12
14	17	BPTTFP14
16	19	BPTTFP16
20	22	BPTTFP20

Max Wire (mm)	Tube Dia (mm)	Product Code
22	25	BPTTFP22
24	28	BPTTFP24
26	30	BPTTFP26
32	35	BPTTFP32

## **COMT** Commercial Thimbles (Zinc Plated)

Size (mm)	Product Code
3	COMT03
5	COMT05
6	COMT06
8	COMT08
10	COMT10
12	COMT12
14	COMT14

Size (mm)	Product Code
16	COMT16
18	COMT18
20	COMT20
22	COMT22
26	COMT26
28	COMT28
32	COMT32



## **SSTH** Thimbles Stainless Steel

Size (mm)	Product Code
2	SSTH02
3	SSTH03
4	SSTH04
5	SSTH05
6	SSTH06
8	SSTH08

Size (mm)	Product Code
10	SSTH10
12	SSTH12
16	SSTH16
20	SSTH20
22	SSTH22
24	SSTH24





**Email: [Sales@aplifting.com](mailto:Sales@aplifting.com)**  
**Telephone: 01384 250552**  
**Website: [www.aplifting.com](http://www.aplifting.com)**